



**TOUR REPORT**  
**NORFOLK BRECKLAND & COASTAL**  
**13<sup>th</sup> – 16<sup>th</sup> MARCH 2024**

[www.oriolebirding.com](http://www.oriolebirding.com)

[info@oriolebirding.com](mailto:info@oriolebirding.com)

**March 14<sup>th</sup>**- *sunny and warm in a light SW wind. Max temp- 17c.*

After the very wet last few months it was a relief that the day dawned dry and bright. The forecast was set fair, and we were determined to make the most of the fine weather. Lynford Arboretum was our first stop. The “tunnel” has been productive this winter and today was no exception. We walked up to the gate and immediately saw a female **Hawfinch** feeding quietly about 75 yards away. Over the next 15 minutes we saw at least three different birds, including a bright male with his blue-black remiges gleaming in the dappled light. The supporting cast included a handful of **Bramblings**. A male was starting to moult through into his summer breeding dress and the blue/black was showing strongly on his head and neck. Walking on we reached the bridge and heard the tell-tale “chip,chip” of **Crossbill**. Three birds landed in a tall tree, and we were able to scope a male and a female, comparing the green and red plumage of both sexes. **Siskins** were plentiful here too. We returned to the car park well satisfied with our efforts. There was time for a coffee and pastry in the warm sun. We heard a **Firecrest** sing but it was distant, and we could not pin the bird down.



**Hawfinches in the ‘tunnel’ at Lynford, 14<sup>th</sup> March**

Next up was a favoured stop for **Goshawk**. Again, we had barely alighted from the van when the first bird was seen rising above the tree line. Its identity betrayed by its easy, deep flight action we watched as it began to soar upwards. We were able to see the key features; bulging secondaries, broad tail base, rounded tail corners and the protruding head that gives the bird the moniker “flying crucifix”. Over the next thirty minutes we saw at least 4

birds. One bird gave a brief display flight, and we could see its fluffed out white undertail coverts.

In front of us was a pig field. Lurking amongst the sows and a few strutting boars were four **Stone Curlews**! They were obviously fresh in and were fairly inactive, allowing us good scope views. An additional bonus was a pair of **Woodlarks**. We were alerted to their presence by their yodelling whistle. They were in and out of vegetation, but we obtained some good close views. We were on a roll. Onwards!

Heading south we paused to look over a cover crop and saw a good hand of **Yellowhammers** and **Reed Buntings**. A **Tree Sparrow** flew through but was too brief for most. We drove on to Mayday Farm. After lunch we walked into the forest. By now it was warm, the thermometer reaching 17c and there was a somnolent feeling to proceedings. Nonetheless, we did very well for **Woodlarks** here seeing at least six birds with two giving a prolonged display flight. Fantastic! On the way back we heard three different **Chiffchaffs**, a sure sign that Spring migration is just around the corner. These birds were presumably fresh in as birds were being reported as arriving all over East Anglia today.

We headed next to Cavenham Heath. As we parked a pair of **Woodlarks** were feeding very close to the van. We were about to take photos when they were flushed by a car splashing through a puddle. You can't win them all. The walk besides the heath produced at least three more pairs of **Woodlark**. They were everywhere. Our main quarry was **Stone Curlew**. We thought that they must be in, given our earlier experience. It took us some time but eventually we found a pair on typical Breckland habitat. However, the views were distant and did not improve on what we had had earlier.

Our final stop of the day was near Weeting. A Great Grey Shrike had been present for a couple of weeks in a large area of clear-fell. Once a regular winter visitor, climate change means that we see far fewer of them these days. By now the day was drawing on and the sun had disappeared behind clouds. The bird had not been reported all day and we were not able to dig it out. A quick flight view of yet another **Woodlark** was the best of it, along with a prominently perched **Stonechat**. Time for home. It had been a great day with almost all of our target species seen. The yodelling **Woodlark** had provided our soundtrack today, with at least twenty of these gorgeous songsters seen and heard.

**MARCH 15<sup>TH</sup>** - *Mild with sunny spells. A brisk WSW wind. Rain late afternoon. Max temp – 15c*

We decided to head north to the coast today. Until late afternoon we enjoyed a decent day of weather despite a stiff westerly wind. Our first stop was Holkham. The freshmarsh either side of Lady Anne's Drive held good numbers of ducks but very few waders, with only a single winter plumaged **Black-tailed Godwit** and a couple of **Common Snipes** on show. As usual here our main quarry was Shorelark. The tides have been high these last few days and the Shorelarks have roamed over a large area as a result. We started at the cordoned area, but they were not at home. We concentrated on the sea instead. Sheltering in the dunes we were out of the wind, but the sea was choppy. The **Common Scoter** flock is now reducing in size but there were still at least 500 Common Scoter spread across the sea at mid-distance.



In amongst we found a handful of **Velvet Scoters** and a **Great Northern Diver** coming into summer plumage.

We decided to try the saltmarsh west of the Gap, where the Shorelarks have been several times this winter. Walking on soft sand into a strong headwind was not easy and it took some effort to reach the area we wanted to search. Sadly, we drew a blank here. The only compensation being a small flock of **Dark-bellied Brents** which took off ahead of us; their soft muttering calls carrying towards us in the wind.

After a character-building session, we enjoyed a strong coffee at The Lookout, before pressing on. Next stop was to look over the freshmarsh. From our vantage point we could see the **Spoonbill** breeding site, already busy with birds nest building. We also added views of **Russian White-fronted Geese**. Although distant, their white frons' and black belly bars stood out in the still strong sunshine.



**Long-billed Dowitcher – close views of the returning bird at Cley**

Our plan was to head west from here, but just then news broke that a **Long-billed Dowitcher** had been found at Cley. We drove over there and after a quick lunch strolled over to Teal Hide. The Dowitcher was close to the hide but out of sight below the lip of the scrape. However, we did not have to wait long for it to emerge. A snipe sized bird, it was in winter plumage but a few rusty fringed mantle and scapular feathers were starting to come through. The long grey-green coloured bill showed the distinctive blunt downward tip. The

face was framed by a bold creamy white supercilium. No doubt last years bird returning, but either way a great rarity in the bag.

Pat's Pool was full of birds. Winter plumaged Dunlin were numerous, as were **Black-tailed Godwits**, some of which were coming into breeding dress. A few **Ruffs** were present and we were able to easily separate out the ruffs and reeves. Best of all were two adult **Spoonbills** in full breeding plumage. Their bushy crests were prominent as were their upper breast ochre-coloured patches. Hidden until they lifted their heads, we also saw the rich egg yolk yellow throat patch on both birds.

Time to move on. Driving back west we stopped at the flood east of Stiffkey village to search for the over-wintering immature **Glossy Ibis**. Although looking into the sun we soon located him towards the back of the flood. Obscured at first, we persisted and obtained good views. The flood was thick with birds, Godwits, Ruff, **Avocets** and Redshanks. Just as were about to leave we saw a **Great White Egret** right at the back of the flood. Still yellow-billed this was a winter bird. It soon lifted and flew slowly inland.

Continuing west we headed to Titchwell where a party of Waxwings had been present for a few days. However, a couple of miles east of Titchwell the heavens opened. The deluge was so heavy that it was obvious that this was going to see the end of play. The Waxwings were not about so we headed back to the Brecks with the weather front pursuing us. Our last birds of the day were a small group of **Pink-footed Geese** feeding on stubble, north of Docking. Almost all of our Pinks have now headed northwest on their journey towards Iceland. This group had clearly not read the script!

**MARCH 16<sup>TH</sup>** – *sunny and dry, feeling warm in a light SW breeze.*

We started early this morning down at Santon Downham. We were looking for Lesser Spotted Woodpecker, an increasingly rare Norfolk species. The river path had been under water throughout February and there had been no reports of any birds. Today the path was very sticky, but passable.

As we set off, we heard the first of many **Siskins**. A brief **Grey Wagtail** was new for the list. It was not long before we heard the strange half quack, half bark of the **Mandarin Duck**. Several birds were flying about, including a pair prospecting suitable tree cavities for nesting opportunities. Santon Downham is a stronghold for this species, and we saw 9 birds in total. Our walk down to the poplars was accompanied by frequent drumming from **Great Spotted Woodpeckers**, but we could not hear any Lessers. We stood in a likely spot for about an hour. It was very warm in the sun and quite birdy. We saw lots of common woodland birds, with the highlight being three **Lesser Redpolls**. Sadly, not a sniff of a Lesser and so we returned to the car park.

Our next target was **Firecrest**. We tried a couple of spots before we found a singing male, giving excellent views in some deciduous trees. The day was drawing on, so we went back to the site near Weeting which has held the Great Grey Shrike. It was very warm in the afternoon sun and butterflies were out in good numbers. They were mainly Brimstones but also Red Admiral, Peacock and a Comma. On the bird front we saw several species of raptor but could not find the Shrike. Singing Stonechat and **Woodlarks** kept us entertained whilst

we waited. Eventually, it was time to bring our tour to a close. We were blessed with good weather and had enjoyed some fabulous Brecks birding.

| <b>ORIOLE BIRDING<br/>NORFOLK BRECKLAND AND COASTAL<br/>MARCH 2024</b>                                                                                                                         |                        |                               |  |    |    |    |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|-------------------------------|--|----|----|----|--|
| <i>Species order, names and taxonomy follows - Gill, F and D Donsker (Eds). 2018. IOC World Bird List (v 8.1). <a href="http://www.worldbirdnames.org/">http://www.worldbirdnames.org/</a></i> |                        |                               |  |    |    |    |  |
| #                                                                                                                                                                                              | Common Name            | Scientific name               |  | 14 | 15 | 16 |  |
| <b>Anatidae (Ducks, Geese, and Waterfowl)</b>                                                                                                                                                  |                        |                               |  |    |    |    |  |
| 1                                                                                                                                                                                              | Brent Goose            | <i>Branta bernicla</i>        |  |    | x  |    |  |
| 2                                                                                                                                                                                              | Canada Goose           | <i>Branta canadensis</i>      |  | x  | x  |    |  |
| 3                                                                                                                                                                                              | Greylag Goose          | <i>Anser anser</i>            |  | x  | x  | x  |  |
| 4                                                                                                                                                                                              | Pink-footed Goose      | <i>Anser brachyrhynchus</i>   |  |    | x  |    |  |
| 5                                                                                                                                                                                              | Mute Swan              | <i>Cygnus olor</i>            |  |    | x  | x  |  |
| 6                                                                                                                                                                                              | Egyptian Goose         | <i>Alopochen aegyptiaca</i>   |  | x  | x  | x  |  |
| 7                                                                                                                                                                                              | Shelduck               | <i>Tadorna tadorna</i>        |  |    | x  |    |  |
| 8                                                                                                                                                                                              | Garganey               | <i>Spatula querquedula</i>    |  |    |    |    |  |
| 9                                                                                                                                                                                              | Shoveler               | <i>Spatula clypeata</i>       |  |    | x  |    |  |
| 10                                                                                                                                                                                             | Gadwall                | <i>Mareca strepera</i>        |  |    | x  |    |  |
| 11                                                                                                                                                                                             | Wigeon                 | <i>Mareca penelope</i>        |  |    | x  |    |  |
| 12                                                                                                                                                                                             | Mallard                | <i>Anas platyrhynchos</i>     |  | x  | x  | x  |  |
| 13                                                                                                                                                                                             | Pintail                | <i>Anas acuta</i>             |  |    | x  |    |  |
| 14                                                                                                                                                                                             | Teal                   | <i>Anas crecca</i>            |  |    | x  |    |  |
| 15                                                                                                                                                                                             | Pochard                | <i>Aythya ferina</i>          |  |    |    |    |  |
| 16                                                                                                                                                                                             | Red-crested Pochard    | <i>Netta rufina</i>           |  |    |    |    |  |
| 17                                                                                                                                                                                             | Tufted Duck            | <i>Aythya fuligula</i>        |  |    | x  |    |  |
| 18                                                                                                                                                                                             | Eider                  | <i>Somateria mollissima</i>   |  |    |    |    |  |
| 19                                                                                                                                                                                             | Velvet Scoter          | <i>Melanitta fusca</i>        |  |    | x  |    |  |
| 20                                                                                                                                                                                             | Common Scoter          | <i>Melanitta nigra</i>        |  |    | x  |    |  |
| 21                                                                                                                                                                                             | Long-tailed Duck       | <i>Clangula hyemalis</i>      |  |    |    |    |  |
| 22                                                                                                                                                                                             | Goldeneye              | <i>Bucephala clangula</i>     |  |    |    |    |  |
| 23                                                                                                                                                                                             | Red-breasted Merganser | <i>Mergus serrator</i>        |  |    | x  |    |  |
| <b>Phasianidae (Pheasants, Grouse, and Allies)</b>                                                                                                                                             |                        |                               |  |    |    |    |  |
| 24                                                                                                                                                                                             | Red-legged Partridge   | <i>Alectoris rufa</i>         |  | x  | x  | x  |  |
| 25                                                                                                                                                                                             | Grey Partridge         | <i>Perdix perdix</i>          |  |    |    |    |  |
| 26                                                                                                                                                                                             | Pheasant               | <i>Phasianus colchicus</i>    |  | x  | x  | x  |  |
| <b>Gaviidae and Procellariidae (Divers and Shearwaters)</b>                                                                                                                                    |                        |                               |  |    |    |    |  |
| 28                                                                                                                                                                                             | Red-throated Diver     | <i>Gavia stellata</i>         |  |    | x  |    |  |
| 29                                                                                                                                                                                             | Fulmar                 | <i>Fulmarus glacialis</i>     |  |    |    |    |  |
| <b>Podicipedidae (Grebes)</b>                                                                                                                                                                  |                        |                               |  |    |    |    |  |
| 30                                                                                                                                                                                             | Little Grebe           | <i>Tachybaptus ruficollis</i> |  | H  |    |    |  |

| #                                                                                               | Common Name          | Scientific name               | 14 | 15 | 16 |
|-------------------------------------------------------------------------------------------------|----------------------|-------------------------------|----|----|----|
| 31                                                                                              | Great Crested Grebe  | <i>Podiceps cristatus</i>     |    | x  |    |
| 32                                                                                              | Slavonian Grebe      | <i>Podiceps auritus</i>       |    |    |    |
| <b>Threskiornithidae and Ardeidae (Spoonbills, Herons, Egrets and Bitterns)</b>                 |                      |                               |    |    |    |
| 33                                                                                              | Spoonbill            | <i>Platalea leucorodia</i>    |    | x  |    |
| 34                                                                                              | Bittern              | <i>Botaurus stellaris</i>     |    |    |    |
| 35                                                                                              | Grey Heron           | <i>Ardea cinerea</i>          |    | x  |    |
| 36                                                                                              | Little Egret         | <i>Egretta garzetta</i>       | x  | x  |    |
| <b>Sulidae and Phalacrocoracidae (Gannets, Cormorants and Shags)</b>                            |                      |                               |    |    |    |
| 37                                                                                              | Gannet               | <i>Morus bassanus</i>         |    |    |    |
| 38                                                                                              | Cormorant            | <i>Phalacrocorax carbo</i>    |    | x  |    |
| <b>Accipitridae (Hawks, Eagles, and Kites)</b>                                                  |                      |                               |    |    |    |
| 39                                                                                              | Sparrowhawk          | <i>Accipiter nisus</i>        |    | x  | x  |
| 40                                                                                              | Goshawk              | <i>Accipiter gentilis</i>     | x  |    | x  |
| 41                                                                                              | Marsh Harrier        | <i>Circus aeruginosus</i>     |    | x  |    |
| 42                                                                                              | Hen Harrier          | <i>Circus cyaneus</i>         |    |    |    |
| 43                                                                                              | Red Kite             | <i>Milvus milvus</i>          | x  | x  | x  |
| 44                                                                                              | Rough-legged Buzzard | <i>Buteo lagopus</i>          |    |    |    |
| 45                                                                                              | Buzzard              | <i>Buteo buteo</i>            | x  | x  | x  |
| <b>Rallidae (Rails, Coots and allies)</b>                                                       |                      |                               |    |    |    |
| 46                                                                                              | Water Rail           | <i>Rallus aquaticus</i>       |    |    | H  |
| 47                                                                                              | Moorhen              | <i>Gallinula chloropus</i>    |    | x  |    |
| 48                                                                                              | Coot                 | <i>Fulica atra</i>            |    | x  |    |
| <b>Burhinidae, Recurvirostridae and Charadriidae (Thick-knees, Avocets, Plovers and Allies)</b> |                      |                               |    |    |    |
| 49                                                                                              | Stone-curlew         | <i>Burhinus oedicnemus</i>    | x  |    |    |
| 50                                                                                              | Oystercatcher        | <i>Haematopus ostralegus</i>  | x  |    |    |
| 51                                                                                              | Avocet               | <i>Recurvirostra avosetta</i> |    | x  |    |
| 52                                                                                              | Lapwing              | <i>Vanellus vanellus</i>      | x  | x  |    |
| 53                                                                                              | Golden Plover        | <i>Pluvialis apricaria</i>    |    |    |    |
| 54                                                                                              | Grey Plover          | <i>Pluvialis squatarola</i>   |    |    |    |
| 55                                                                                              | Ringed Plover        | <i>Charadrius hiaticula</i>   |    | x  |    |
| 56                                                                                              | Little Ringed Plover | <i>Charadrius dubius</i>      |    |    |    |
| <b>Scolopacidae (Sandpipers and Allies)</b>                                                     |                      |                               |    |    |    |
| 57                                                                                              | Curlew               | <i>Numenius arquata</i>       |    | x  | H  |
| 58                                                                                              | Bar-tailed Godwit    | <i>Limosa lapponica</i>       |    |    |    |
| 59                                                                                              | Black-tailed Godwit  | <i>Limosa limosa</i>          |    | x  |    |
| 60                                                                                              | Turnstone            | <i>Arenaria interpres</i>     |    |    |    |
| 61                                                                                              | Knot                 | <i>Calidris canutus</i>       |    |    |    |
| 62                                                                                              | Ruff                 | <i>Calidris pugnax</i>        |    | x  |    |
| 63                                                                                              | Sanderling           | <i>Calidris alba</i>          |    |    |    |
| 64                                                                                              | Dunlin               | <i>Calidris alpina</i>        |    | x  |    |
| 65                                                                                              | Woodcock             | <i>Scolopax rusticola</i>     |    |    |    |
| 66                                                                                              | Snipe                | <i>Gallinago gallinago</i>    |    | x  |    |
| 67                                                                                              | Green Sandpiper      | <i>Tringa ochropus</i>        |    |    |    |
| 68                                                                                              | Redshank             | <i>Tringa totanus</i>         |    | x  |    |

| #                                                               | Common Name               | Scientific name                   | 14 | 15 | 16 |
|-----------------------------------------------------------------|---------------------------|-----------------------------------|----|----|----|
| 69                                                              | Spotted Redshank          | <i>Tringa erythropus</i>          |    |    |    |
| 70                                                              | Greenshank                | <i>Tringa nebularia</i>           |    |    |    |
| <b>Laridae (Gulls and Terns)</b>                                |                           |                                   |    |    |    |
| 71                                                              | Black-headed Gull         | <i>Chroicocephalus ridibundus</i> | x  | x  | x  |
| 72                                                              | Mediterranean Gull        | <i>Larus melanocephalus</i>       |    |    |    |
| 73                                                              | Common Gull               | <i>Larus canus</i>                | x  | x  | x  |
| 74                                                              | Little Gull               | <i>Hydrocoloeus minutus</i>       |    |    |    |
| 75                                                              | Great Black-backed Gull   | <i>Larus marinus</i>              |    |    |    |
| 76                                                              | Herring Gull              | <i>Larus argentatus</i>           | x  | x  | H  |
| 77                                                              | Lesser Black-backed Gull  | <i>Larus fuscus</i>               |    |    |    |
| 78                                                              | Sandwich Tern             | <i>Thalasseus sandvicensis</i>    |    |    |    |
| 79                                                              | Common Guillemot          | <i>Uria aalge</i>                 |    |    |    |
| 80                                                              | Razorbill                 | <i>Alca torda</i>                 |    |    |    |
| <b>Columbidae and Cuculidae (Pigeons, Doves and Cuckoos)</b>    |                           |                                   |    |    |    |
| 81                                                              | Rock Dove (Feral Pigeon)  | <i>Columba livia</i>              | x  |    |    |
| 82                                                              | Stock Dove                | <i>Columba oenas</i>              | x  | x  | x  |
| 83                                                              | Woodpigeon                | <i>Columba palumbus</i>           | x  | x  | x  |
| 84                                                              | Collared Dove             | <i>Streptopelia decaocto</i>      | x  | x  | x  |
| <b>Tytonidae and Strigidae (Owls)</b>                           |                           |                                   |    |    |    |
| 85                                                              | Barn Owl                  | <i>Tyto alba</i>                  |    |    |    |
| 86                                                              | Tawny Owl                 | <i>Strix aluco</i>                |    |    |    |
| 87                                                              | Little Owl                | <i>Athene noctua</i>              |    |    |    |
| 88                                                              | Short-eared Owl           | <i>Asio flammeus</i>              |    |    |    |
| <b>Alcedinidae and Picidae (Kingfishers and Woodpeckers)</b>    |                           |                                   |    |    |    |
| 89                                                              | Kingfisher                | <i>Alcedo atthis</i>              |    |    |    |
| 90                                                              | Lesser Spotted Woodpecker | <i>Dryobates minor</i>            |    |    |    |
| 91                                                              | Great Spotted Woodpecker  | <i>Dendrocopos major</i>          | x  |    | x  |
| 92                                                              | Green Woodpecker          | <i>Picus viridis</i>              |    |    |    |
| <b>Falconidae (Falcons)</b>                                     |                           |                                   |    |    |    |
| 93                                                              | Kestrel                   | <i>Falco tinnunculus</i>          | x  | x  | x  |
| 94                                                              | Merlin                    | <i>Falco columbarius</i>          |    |    |    |
| 95                                                              | Peregrine                 | <i>Falco peregrinus</i>           |    |    |    |
| <b>Lanidae and Corvidae (Shrikes, Crows, Jays, and Magpies)</b> |                           |                                   |    |    |    |
| 96                                                              | Great Grey Shrike         | <i>Lanius excubitor</i>           |    |    |    |
| 97                                                              | Jay                       | <i>Garrulus glandarius</i>        |    | x  | x  |
| 98                                                              | Magpie                    | <i>Pica pica</i>                  | x  | x  | x  |
| 99                                                              | Jackdaw                   | <i>Coloeus monedula</i>           | x  | x  | x  |
| 100                                                             | Rook                      | <i>Corvus frugilegus</i>          | x  | x  | x  |
| 101                                                             | Carrion Crow              | <i>Corvus corone</i>              | x  | x  | x  |
| <b>Paridae and Panuridae ( Tits and Reedlings)</b>              |                           |                                   |    |    |    |
| 102                                                             | Coal Tit                  | <i>Periparus ater</i>             | x  |    | x  |
| 103                                                             | Marsh Tit                 | <i>Poecile palustris</i>          |    |    |    |
| 104                                                             | Blue Tit                  | <i>Cyanistes caeruleus</i>        | x  | x  | x  |
| 105                                                             | Great Tit                 | <i>Parus major</i>                | x  | x  | x  |



| #                                                                                                        | Common Name      | Scientific name                | 14 | 15 | 16 |
|----------------------------------------------------------------------------------------------------------|------------------|--------------------------------|----|----|----|
| 106                                                                                                      | Bearded Tit      | <i>Panurus biarmicus</i>       |    |    |    |
| <b><i>Alaudidae (Larks)</i></b>                                                                          |                  |                                |    |    |    |
| 107                                                                                                      | Woodlark         | <i>Lullula arborea</i>         | x  |    | x  |
| 108                                                                                                      | Skylark          | <i>Alauda arvensis</i>         | x  |    | x  |
| 109                                                                                                      | Shore Lark       | <i>Eremophila alpestris</i>    |    |    |    |
| <b><i>Hirundinidae (Swallows)</i></b>                                                                    |                  |                                |    |    |    |
| 110                                                                                                      | Swallow          | <i>Hirundo rustica</i>         |    |    |    |
| 111                                                                                                      | Sand Martin      | <i>Riparia riparia</i>         |    |    |    |
| 112                                                                                                      | House Martin     | <i>Delichon urbicum</i>        |    |    |    |
| <b><i>Scotocercidae, Aegithalidae and Phylloscopidae (Bush Warblers, Bushtits and Leaf Warblers)</i></b> |                  |                                |    |    |    |
| 113                                                                                                      | Cetti's Warbler  | <i>Cettia cetti</i>            |    | H  |    |
| 114                                                                                                      | Long-tailed Tit  | <i>Aegithalos caudatus</i>     | x  | x  | x  |
| 115                                                                                                      | Chiffchaff       | <i>Phylloscopus collybita</i>  | H  | x  | x  |
| <b><i>Sylviidae (Sylviid Warblers)</i></b>                                                               |                  |                                |    |    |    |
| 116                                                                                                      | Blackcap         | <i>Sylvia atricapilla</i>      |    |    |    |
| 117                                                                                                      | Dartford Warbler | <i>Sylvia undata</i>           |    |    |    |
| <b><i>Regulidae (Kinglets)</i></b>                                                                       |                  |                                |    |    |    |
| 118                                                                                                      | Firecrest        | <i>Regulus ignicapilla</i>     | H  |    | x  |
| 119                                                                                                      | Goldcrest        | <i>Regulus regulus</i>         | x  | H  | x  |
| <b><i>Troglodytidae, Sittidae and Certhiidae (Wrens, Nuthatches and Treecreepers)</i></b>                |                  |                                |    |    |    |
| 120                                                                                                      | Wren             | <i>Troglodytes troglodytes</i> | x  | x  | x  |
| 121                                                                                                      | Nuthatch         | <i>Sitta europaea</i>          | x  |    | x  |
| 122                                                                                                      | Treecreeper      | <i>Certhia familiaris</i>      |    |    | x  |
| <b><i>Turdidae and Sturnidae (Thrushes and Starlings)</i></b>                                            |                  |                                |    |    |    |
| 123                                                                                                      | Starling         | <i>Sturnus vulgaris</i>        | x  | x  | x  |
| 124                                                                                                      | Ring Ouzel       | <i>Turdus torquatus</i>        |    |    |    |
| 125                                                                                                      | Blackbird        | <i>Turdus merula</i>           | x  | x  | x  |
| 126                                                                                                      | Fieldfare        | <i>Turdus pilaris</i>          | x  |    |    |
| 127                                                                                                      | Redwing          | <i>Turdus iliacus</i>          |    |    | x  |
| 128                                                                                                      | Song Thrush      | <i>Turdus philomelos</i>       | x  |    | x  |
| 129                                                                                                      | Mistle Thrush    | <i>Turdus viscivorus</i>       | H  |    |    |
| <b><i>Muscicapidae (Old World Flycatchers)</i></b>                                                       |                  |                                |    |    |    |
| 130                                                                                                      | Robin            | <i>Erithacus rubecula</i>      | x  | x  | x  |
| 131                                                                                                      | Black Redstart   | <i>Phoenicurus ochruros</i>    |    |    |    |
| 132                                                                                                      | Stonechat        | <i>Saxicola rubicola</i>       | x  |    | x  |
| 133                                                                                                      | Wheatear         | <i>Oenanthe oenanthe</i>       |    |    |    |
| <b><i>Passeridae (Old World Sparrows)</i></b>                                                            |                  |                                |    |    |    |
| 134                                                                                                      | House Sparrow    | <i>Passer domesticus</i>       | x  | x  |    |
| 135                                                                                                      | Tree Sparrow     | <i>Passer montanus</i>         | x  |    |    |
| <b><i>Prunellidae (Accentors)</i></b>                                                                    |                  |                                |    |    |    |
| 136                                                                                                      | Dunnock          | <i>Prunella modularis</i>      |    | x  | x  |
| <b><i>Motacillidae (Wagtails and Pipits)</i></b>                                                         |                  |                                |    |    |    |
| 137                                                                                                      | Grey Wagtail     | <i>Motacilla cinerea</i>       |    |    | x  |
| 138                                                                                                      | Pied Wagtail     | <i>Motacilla alba</i>          | x  | x  | x  |

| #                                              | Common Name           | Scientific name                      | 14 | 15 | 16 |
|------------------------------------------------|-----------------------|--------------------------------------|----|----|----|
| 139                                            | Meadow Pipit          | <i>Anthus pratensis</i>              |    | x  | x  |
| 140                                            | Rock Pipit            | <i>Anthus petrosus</i>               |    |    |    |
| <b><i>Fringillidae (Finches)</i></b>           |                       |                                      |    |    |    |
| 141                                            | Chaffinch             | <i>Fringilla coelebs</i>             | x  | x  | x  |
| 142                                            | Brambling             | <i>Fringilla montifringilla</i>      | x  |    |    |
| 143                                            | Hawfinch              | <i>Coccothraustes coccothraustes</i> | x  |    |    |
| 144                                            | Bullfinch             | <i>Pyrrhula pyrrhula</i>             | H  |    |    |
| 145                                            | Greenfinch            | <i>Chloris chloris</i>               |    |    | x  |
| 146                                            | Twite                 | <i>Linaria flavirostris</i>          |    |    |    |
| 147                                            | Linnet                | <i>Linaria cannabina</i>             |    | x  |    |
| 148                                            | Lesser Redpoll        | <i>Acanthis cabaret</i>              |    |    | x  |
| 149                                            | Crossbill             | <i>Loxia curvirostra</i>             | x  |    |    |
| 150                                            | Goldfinch             | <i>Carduelis carduelis</i>           | x  |    | x  |
| 151                                            | Siskin                | <i>Spinus spinus</i>                 | x  |    | x  |
| <b><i>Emberizidae (Old World Buntings)</i></b> |                       |                                      |    |    |    |
| 152                                            | Corn Bunting          | <i>Emberiza calandra</i>             |    |    |    |
| #                                              | Common Name           | Scientific name                      | 14 | 15 | 16 |
| 153                                            | Yellowhammer          | <i>Emberiza citrinella</i>           | x  | x  |    |
| 154                                            | Reed Bunting          | <i>Emberiza schoeniclus</i>          | x  | x  | x  |
| 155                                            | Snow Bunting          | <i>Plectrophenax nivalis</i>         |    |    |    |
| #                                              | Additional species    |                                      | 14 | 15 | 16 |
| 1                                              | Long-billed Dowitcher |                                      |    | x  |    |
| 2                                              | Glossy Ibis           |                                      |    | x  |    |
| 3                                              | Great White Egret     |                                      |    | x  |    |
| 4                                              | Mandarin Duck         |                                      |    |    | x  |